

Nylon Table & Floor Scraper

255 mm, Hard, Red



Item Number: 29114

When you need a heavy-duty floor scraper that won't damage floors or machines, reach for the Vikan Nylon Scraper. When attached to any Vikan handle, the scraper blade can help clean the toughest messes. Use a Mini Handle to use it as a table scraper or attach it to a telescopic extension handle to reach high overhead. You can also add it to a standard-size handle for a ground scraper tool that is suitable for wet and dry applications. This scraper is effective at loosening stubborn debris on floors and inside tanks and food containers. It can remove tough, stuck-on chocolate, dried food debris, and more on benchtops and work surfaces. It's an excellent choice for cleaning stainless steel work benches or epoxy floors, as the nylon blade is gentle on sensitive surfaces. Both sides of the solidly constructed blade scrape effectively thanks to its arrow shape.

General Information

| | |
|-------------------|---------------|
| Connection | Euro Threaded |
| Colour | Red |
| Material | Nylon |
| Country of Origin | Denmark |

Product Dimensions

| | |
|----------------------|----------|
| Blade Thickness | 6.5 mm |
| Product Length/Depth | 33 mm |
| Product Width | 255 mm |
| Product Height | 170 mm |
| Net Weight | 0.227 kg |

Packaging & Shipping Details

| | |
|--|----------------|
| Box Quantity | 5 Pcs. |
| Quantity per Pallet (80 x 120 x approx.180 cm) | 720 Pcs |
| Quantity Per Layer (Pallet) | 60 Pcs. |
| Box Length/Depth | 275 mm |
| Box Width | 240 mm |
| Box Height | 82 mm |
| Cardboard Packaging (Recycling symbol "20" PAP) per Pcs. | 0.0254 kg |
| Total Tare Weight | 0.0254 kg |
| Gross Weight | 0.25 kg |
| Cubic metre | 0.001431 M3 |
| GTIN-13 Number | 5705022049734 |
| GTIN-14 Number (Box quantity) | 15705028049742 |
| Customs Tariff Number | 39241000 |



Item Number: 29114

Compliance & Standard Details

| | |
|---|--------------------|
| Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| Complies with FDA Regulation CFR 21 ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials | Yes |
| Complies with REACH Regulation (EC) No. 1907/2006 | Yes |
| Complies with California Proposition 65 | Yes |
| PFAS intentionally added | No |
| Phthalates intentionally added | Data not available |
| Bisphenols intentionally added | Data not available |

Technical Data

| | |
|-----------------|------|
| Blade Stiffness | Hard |
|-----------------|------|

Usage Limits

| | |
|---|---------|
| Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max. cleaning temperature (Dishwasher) | 93 °C |
| Max usage temperature (food contact) | 100 °C |
| Max usage temperature (non food contact) | 100 °C |
| Min. usage temperature ³ | -20 °C |
| Max. drying temperature | 120 °C |
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 10.5 pH |

Sustainability Details

| | |
|--|-----|
| Recycling Symbol "7", Miscellaneous Plastics | Yes |
|--|-----|

3. Do not store the product below 0° Celsius.